

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

Claim 1 (currently amended) Roofing material for convertible tops comprising:

- a. an outer woven fabric layer formed of at least 25% by weight polymeric coated yarns, the outer fabric layer having an inner surface;
- b. an inner fabric layer of non-coated yarns conventionally used as headliner fabric, the inner fabric layer having an inner surface adjacent to the inner surface of the outer fabric layer; and
- c. an adhesive waterproofing layer extending across the entire inner surface area of the outer layer and bonding the inner surface of the outer layer to the inner surface area of the inner layer and thereby making the roofing material waterproof, wherein the outer layer maintains the appearance of a woven fabric without altering the structure of the outer layer.

Claim 2 (original) The convertible roofing material according to Claim 1 wherein said coated yarns comprise a core yarn covered by an extruded polymeric sheath.

Claim 3 (original) The convertible roofing material according to Claim 2 wherein said core yarn is selected from the group consisting of polyester, nylon, acrylic, polyester, fiberglass, aramids, olefins, and carbon fibers.

Claim 4 (original) The convertible roofing material according to Claim 2 wherein said core yarn is polyester.

Claim 5 (original) The convertible roofing material according to Claim 3 wherein the denier of said core yarn is between 70 and 1200.

Claim 6 (original) The convertible roofing material according to Claim 3 wherein said polymeric coating is selected from the group consisting of polyvinyl chloride, nylon, olefins, thermoplastic olefin elastomers, urethane, EVA, polyester, ionomer, polyphenylene sulfide, polyethersulfone, fluoropolymer, polyethertone, and liquid crystal polymers.

Claim 7 (original) The convertible roofing material according to Claim 6 wherein said coating is polyvinyl chloride and the core yarn is polyester.

Claim 8 (original) The convertible roofing material according to Claim 7 wherein the denier of said coated yarns ranges from 500-3500.

Claim 9 (original) The convertible roofing material according to Claim 3 wherein said outer fabric layer also includes effect yarns selected from the group consisting of acrylics, modacrylics, polypropylene, polyethylene, and polyester.

Claim 10 (original) The convertible roofing material according to Claim 9 wherein the coated yarn content is at least 50%.

Claim 11 (original) The convertible roofing material according to Claim 9 wherein said coated yarn is introduced in the warp alone.

Claim 12 (original) The convertible roofing material according to Claim 9 wherein said coated yarn is introduced in the fill alone.

Claim 13 (original) The convertible roofing material according to Claim 9 wherein said coated yarn is introduced in both the warp and the fill in a pattern alternating with effect yarns.

Claims 14-26 (canceled)